

Comparison Of Price Competetiveness Of Airconditioner : Applying T(Taguchi) Method Between Retail Price And Specifications

著者	Yamaguchi Shinji
journal or publication title	Society for Social Management Systems Internet Journal
volume	6
number	1
year	2010-03
URL	http://hdl.handle.net/10173/1805

COMPARISON OF PRICE COMPETITIVENESS OF AIRCONDITIONER –APPLYING T(TAGUCHI) METHOD BETWEEN RETAIL PRICE AND SPECIFICATIONS –

Shinji YAMAGUCHI*
Kochi University of Technology*

ABSTRACT: This paper gives application of T (Taguchi) method to the relationship between retail price and specification factors of airconditioners. So, the specifications factors data from catalogue, and retail price data from internet web data and retail store as mass-merchant. The results show that effective factors are some specification factors, some manufacturer, some stores. There are cost competitiveness and brand power between mass merchant and manufacturer's route store, and each manufacture.

KEYWORDS: T(1) method, unit norm(space), retail price, price for manufacturer's employee, air-conditioner, MT system, MT distance

1. INTRODUCTION

This paper showed decision making concept of retail price competitiveness. Designer and product planning members decide the product's price, so called suggested retail price. Initially cost and target price are decided by manufacturers. But the buying power of retail-store (mass merchant) becomes big, so store managers decide the real retail price. This price is decided between the suppliers price and stores' competitive prices. So, the retail prices are chosen from the internet minimum retail price web site (kakaku.com), mass-merchant store price, manufactures route store price, and specification factors of air conditioners are chosen from manufacturer's catalogue data. Which factors are influenced to the retail price in relating store managers decisions are researched in using T(1) method of MT (Mahalanobis-Taguchi) system, that is pattern recognition thinking. After that comparison and considerations are discussed.

2. METHODOLOGY

Taguchi's T(1) method is applied. This method is developed by Dr. Genichi Taguchi from late 1970. This method is applying to the wide areas, such as medical diagnosis, price of real estate and

land, company management, process engineering etc. T method has 3 types, T(1), T(2), T(3). and MT system has MT, MTA, TS, and T methods. T(1) method's steps are as follows.

- (1) Definition of unit norm(space), and calculation of members average.
- (2) Definition of signal data
- (3) Normalization of signal data
- (4) Proportional constant β are calculated
- (5) Total estimation of each members output calculation
- (6) Total estimation of SN ratio
- (7) Evaluation of importance of items by using orthogonal array table (so called item selection)
- (8) Total estimate for unknown data calculation
- (9) Total estimate calculation

3. UNIT NORM(SPACE) AND SIGNAL DATA

The concept of unit norm and signal data is shown in Fig.1. Unit norm is not extraordinary data. So unit norm is thought as average data.




Fig.1 CONCEPT OF UNIT NORM AND SIGNAL

Objective airconditioners are two selected manufacturer's models. Total airconditioners are 177 time-related models, and product specification are 12 factors from manufacturer's catalogue. No. of factors stores manufacturers are 7.

4. BACKGROUND , OBJECTIVE AND HYPOTHESIS

As the factors which determines the appliance prices ,there are brand status ,cost competitiveness, price decision strategy of sales stores (such as mass-merchant etc) specification factors , timing of sales start , time duration past sales-start (that is, ratio of change of commodity).

Thinking these factors ,I analyze the product competitiveness from prices.

Hypothesis are ① manufactures have different brand power and cost power. ② stores have different price strategies. ③ high

price setting are from high quality and high performance of specifications. ④ new year model is evaluated highly rather than old model. ⑤ new model's price will decrease with time duration.

The prerequisite conditions are ① selection 2 manufacturers ② sales stores are small manufacturer's route store, middle size mass-merchant, and internet minimum retail web site. ③ price timing are April and August in 2009. ④ products models are 2009, partially 2008 model. ⑤

Specifications are from manufacturers catalogue ,and numbers of features, compressor output, total weight, model year, heating capacity, heating consumption, cooling & heating noise, cooling COP, heating COP, average COP, are selected. In the specifications, no. of features are different from manufacturers. So, I adjusted the maximum no. of features to the same numbers, because no. of features are effective factor in each manufacturers' calculation, but in the case of synthesis of manufacturers, no. of features is not effective . ⑥ manufacturer name and store name are input as dummy factors ,such as 1 or 0.

Unit norm(space) is used average value . So, I analyze 19 factors, and 177 data.

5. RESULT OF APPLICATION TO AIRCONDITIONER PRICE

Applied data is shown Table 1.

Table 1. INPUT DATA ,19 FACTORS AND TOTAL 177 DATA

メーカー	メーカー別	修正特約 数/17	販売能力	消費電力 COP	騒音	冷凍能力	消費電力 COP	騒音2	平均COP	質量計	年度	圧縮機輸出 能力	価格月	ネット最低 価格	中壁販売 店	メーカー別 クラス	価格
1	0	1245675	2.2	385 5714286	45.5	2.2	450 4888889	45.5	5.274725	29	2009	600	4	1	0	0	31.16
1	0	1245675	2.5	435 5747126	45.5	2.5	520 4807692	45.5	5.277409	33	2009	750	4	1	0	0	41.49
1	0	1245675	2.8	535 5236445	45.5	2.8	610 4990164	45.5	5.284005	38	2009	900	4	1	0	0	45.7
1	0	1245675	3.1	585 536992	45.5	3.1	690 4444444	45.5	5.28481	38	2009	750	4	1	0	0	48.8
1	0	1245675	2.8	520 5384615	45.5	2.8	630 4444444	45.5	4.91453	36	2009	750	8	1	0	0	48.78
1	0	1245675	2.5	450 5359598	45.5	2.5	450 4888889	45.5	5.277778	29	2009	600	4	1	0	0	48.8
1	0	1453287	2.2	390 5841026	45.5	2.2	445 4943822	45.5	5.292423	32	2008	600	4	1	0	0	62.25
1	0	1245675	2.5	435 5747126	45.5	2.5	520 4807692	45.5	5.277409	33	2009	750	4	1	0	0	54.9
1	0	1453287	2.5	455 5317126	46	2.5	505 4360555	45.5	5.284236	36	2008	600	4	1	0	0	60.7
1	0	1245675	4.2	1000 4.2	47	3.6	1040 3481538	46	3830769	36	2009	950	4	1	0	0	62.62
1	0	1245675	2.8	530 5384615	45.5	2.8	630 4444444	45	4.76483	36	2008	950	4	1	0	0	61.7
1	0	1245675	2.2	385 5747126	45.5	2.2	440 5	45	5.28481	29	2008	600	4	1	0	0	64.6
1	0	1453287	2.2	390 5841026	45.5	2.2	445 4943822	45.5	5.292423	32	2008	600	4	1	0	0	66.8
1	0	1245675	5	1210 4.132231	47	4	1130 3.538823	46	3836027	44	2009	1100	4	1	0	0	68
1	0	1453287	2.2	390 5841026	45.5	2.2	445 4943822	45.5	5.292423	32	2008	600	4	1	0	0	68.25
1	0	1453287	2.2	385 5714286	45.5	2.2	450 4888889	45.5	5.301587	33	2009	600	4	1	0	0	68
1	0	1453287	3	565 5309735	46	2.8	620 4.516129	45.5	4.912932	37	2008	750	4	1	0	0	68.4
1	0	1453287	1	1000 4.2	47	3.6	1040 3481538	46	3830769	36	2009	950	4	1	0	0	68.8
1	0	1245675	5	1210 4.132231	47	4	1130 3.538823	46	3836027	44	2009	1100	8	1	0	0	69.76
1	0	1245675	2.5	440 5881818	46	2.5	510 4.901961	45.5	5.291889	36	2009	750	4	1	0	0	70.8
1	0	1245675	2.5	440 5881818	46	2.5	510 4.901961	45.5	5.291889	36	2009	750	4	1	0	0	71
1	0	1245675	2.8	530 5384615	45.5	2.8	630 4444444	45	5.277778	36	2008	750	4	1	0	0	71.8
1	1	14	2.5	450 5595506	45.5	2.2	445 4943822	45.5	5.292423	32	2008	600	8	1	0	0	74.8
1	0	1453287	3	560 5307143	46	2.8	625 4.48	45.5	4.918571	37	2009	750	8	1	0	0	77.2
1	0	1453287	2.5	455 5317126	46	2.5	505 4360555	45.5	4.918571	37	2009	500	4	1	0	0	77.5
1	0	1245675	2.2	385 5714286	45.5	2.2	455 4839105	45.5	5.274725	29	2009	600	4	1	0	0	77.8
1	0	1245675	4.2	900 4.21053	47.5	3.6	1015 3.546798	46.5	3.889255	37	2009	950	4	1	0	0	81.7
0	1	14	2.8	495 5.66	46	2.5	510 4.9	46.5	5.28	40.5	2009	600	4	1	0	0	83.77
0	1	14	2.8	523 5.66	45.5	2.8	610 4.590164	45.5	4.911004	36	2008	750	4	1	0	0	84.8
0	1	14	2.8	505 5.66	46	2.2	445 4888889	43.5	5.301587	33.5	2009	600	4	1	0	0	85.29
0	1	2041522	2.5	390 6410256	43	2.2	345 6.370612	41	6.093534	37	2008	750	4	1	0	0	87.3
0	1	2041522	2.8	470 5957447	44.5	2.5	470 5.319149	44.5	5.838298	43	2008	750	4	1	0	0	87.59
0	1	2041522	2.5	470 5957447	44.5	2.5	470 5.319149	44.5	5.838298	43	2008	750	4	1	0	0	87.59
0	1	14	3.2	605 5.29	47	2.8	620 4.52	47.5	4.905	40.5	2009	600	8	1	0	0	87.9
0	1	1453287	1.1	1110 4.504505	43.5	1.1	1130 3.561345	44.5	5.302884	49	2009	1100	4	1	0	0	88.9
0	1	1245675	5	1210 4.132231	47	4	1130 3.538823	46	3836027	44	2009	1100	4	1	0	0	89.8
0	1	2041522	2.5	390 6410256	43	2.2	345 6.370612	41	6.093534	37	2008	750	4	1	0	0	90.8
0	1	1453287	2.2	390 5841026	45.5	2.2	445 4943822	45.5	5.292423	32	2008	600	4	1	0	0	90.8
0	1	200692	2.5	440 5881818	46	2.5	510 4.9	46.5	5.28	40.5	2009	600	8	1	0	0	91.1
0	1	200692	2.5	455 5317126	46	2.5	505 4360555	45.5	5.48788	39.5	2009	600	4	1	0	0	91.8
0	1	1453287	4.2	955 4.397906	47.5	3.6	1030 3.495146	46.5	3.946256	37	2009	950	6	1	0	0	92.2
0	1	1453287	4.2	935 4.397906	47.5	3.6	1030 3.495146	46.5	3.946256	37	2009	950	6	1	0	0	92.2
0	1	2145329	2.8	445 6292135	44.5	2.5	410 6.097561	43	6.194848	57	2008	750	4	1	0	0	92.65
0	1	200692	2.8	470 5957447	44.5	2.8	595 4.840884	44.5	5.292423	38.5	2009	750	4	1	0	0	96.5
0	1	14 18685	2.5	445 5617978	45.5	2.5	505 4.904949	44.5	5.284236	37.5	2009	750	4	1	0	0	96.99
0	1	2041522	2.8	520 5384615	45.5	2.8	630 4444444	45	5.284236	37.5	2009	750	4	1	0	0	96.99
0	1	200692	3	550 5454545	46	2.8	555 5.045045	44.5	5.249795	46	2009	750	8	1	0	0	98.6
0	1	14	2.8	495 5.66	46	2.2	445 4888889	43.5	5.301587	33.5	2009	600	8	1	0	0	98.6
0	1	1453287	2.5	445 5617978	46	2.5	505 4.904949	44.5	5.284236	37.5	2009	750	4	1	0	0	99.8
0	1	2041522	2.5	410 6.097561	43.5	2.2	345 6.370612	41	6.093534	37	2008	750	4	1	0	0	100
0	1	2041522	2.5	410 6.097561	43.5	2.2	345 6.370612	41	6.093534	37	2008	750	4	1	0	0	102
0	1	14	4.2	985 4.35	47	3.6	1105 3.26	47	3.805	40.5	2009	600	8	1	0	0	102.574
0	1	14	3.6	895 4.35	47	2.8	635 4.83	46	3.83	40.5	2009	600	8	1	0	0	102.574
0	1	1245675	5	1210 4.132231	47	4	1130 3.538823	46	3836027	44	2009	1100	4	1	0	0	102.4
0	1	1245675	6	1590 3.732685	47.5	5	1800 2.777778	47.5	3.725681	48	2009	1500	8	1	0	0	104.86
0	1	1245675	6	1590 3.732685	47.5	5	1800 2.777778	47.5	3.725681	48	2009	1500	8	1	0	0	104.86
0	1	14	2.8	495 5.66	46	2.5	510 4.9	46.5	5.28	40.5	2009	600	4	1	0	0	106
0	1	200692	2.8	505 5833333	44.5	2.8	610 4.590164	45.5	5.416685	39.5	2009	750	4	1	0	0	107
0	1	14 18685	3	525 5714286	46	2.8	610 4.590164	45.5	5.152225	39.5	2009	750	4	1	0	0	107.7
0	1	2041522	2.8	470 5957447	44.5	2.8	595 4.840884	44.5	5.292423	38.5	2009	750	4	1	0	0	109
0	1	1245675	4.2	1000 4.2	47	3.6	1040 3481538	46	3830769	36	2009	950	4	1	0	0	109
0	1	2145329	3.2	485 6597932	45.5	3	640 3.663636	44.5	4.739787	46	2009	750	4	1	0	0	109.8
0	1	1453287	3	565 5309735	46	2.8	620 4.516129	45.5	4.912932	37	2008	750	4	1	0	0	109.8
0	1	1453287	3	565 5309735	46	2.8	620 4.516129	45.5	4.912932	37	2008	750	4	1	0	0	109.8
0	1	200692	4.2	905 4.421053	47.5	3.6	1015 3.546798	46.5	3.889255	37	2009	950	4	1	0	0	109.8
0	1	200692	4.2	905 4.421053	47.5	3.6	1015 3.546798	46.5	3.889255	37	2009	950	4	1	0	0	109.8
0	1	14	2.8	495 5.66	46	2.2	445 4888889	43.5	5.301587	33.5	2009	600	8	1	0	0	109.89
0	1	1453287	5	1110 4.504505	43.5	5	1190 3.361345	46	3.929255	49	2009	1100	8	1	0	0	112.8
0	1	2041522	2.5	390 6410256	43	2.2	345 6.370612	41	6.093534	37	2008	750	4	1	0	0	114
0	1	14	3.2	605 5.29	47	2.8	620 4.52	47.5	4.905	40.5	2009	600	3	1	0	0	114
0	1	14 18685	2.2	385 5714286	44	2.2	450 4888889	43.5	5.301587	33.5	2009	600	4	1	0	0	114.8
0	1	2179931	2.5	390 6410256	43	2.2	345 6.370612	41	6.093534	37	2008	750	4	1	0	0	114.8
0	1	200692	3	550 5454545	46	2.8	555 5.045045	44.5	5.249795	46	2009	750	4	1	0	0	118.4
0	1	14 18685	4.2	955 4.35	47	3.6	1105 3.26	47	3.805	40.5	2009	600	8	1	0	0	119.8
0	1	14	2.8	495 5.66	46	2.2	445 4888889	43.5	5.301587	33.5	2009	600	8	1	0	0	




Fig.1 FACTOR EFFECT DAIGRAM

I selected the factors from the factor-effect diagram ,and did the item selection and calculation. So ,price equation's coefficients (that is, sensitivity) and constant data (that is, unit norm data) are shown in Table 2.

Table.2 FACTORS ,GAIN,ESTIMATE EQUATION'S COEFFICIENT AND CONSTANT

FACTOR	GAIN	COEFFICIENT	CONSTANT OF UNIT NORM
MAKER A	1.348742031	-15.1595	0.857143
MAKER B	-0.562165619	0	0.142857
NO. OF FEATURES REVISED	4.059252632	4.368279	21.15818
HEATING CAPACITY	-0.330145685	0	4.557143
HEAT CONSUMPTION	0.462200271	0.023939	937.8571
HEAT COP	-0.189577825	0	5.155114
HEATING NOISE	0.867837199	7.402042	46.85714
COOLING CAPACITY	-0.294752822	0	3.7
COOL CONSUMPTION	-1.202313081	0	870
COOL COP	-0.621749338	0	4.561305
COOL NOISE	-0.846846191	0	45.71429
AVERAGE COP	0.025414844	-2.98042	4.85821
TOTAL WEIGHT	1.348742031	1.112137	53.5
MODEL YEAR	-0.562165619	0	2008.571
COMPRESSOR OUTPUT	4.059252632	0.024768	1021.429
DURATION TIME	-0.330145685	0	4.571429
INTERNET WEB STORE MINIMUM	0.462200271	-18.5082	0.714286
MIDDLE SIZE MASS-MERCHANT	-0.189577825	0	0.285714
MAKER ROUTE STORE	0.867837199	32.0718	0
			148.23

Comparison between true and estimate is shown in Fig.2.




Fig.2 COMPARISON TRUE AND ESTIMATE

6. RESULT OF COMPETITIVENESS OF AIRCONDITIONER PRICE

The conclusions are as follows.

- 1) Manufacturer B is as standard ,then manufacturer A is priced lower by 15k¥. This is translated that A is cost –competitive, B is priced higher ,so B has the brand power ,but is not cost-competitive. We can not decide which factor is more effective.
- 2) Middle size mass merchant price is standard ,and manufacturer route sales store price is higher by 32k¥. Internet web site minimum price is lower by 18.5k¥.
- 3) There is not different with products sales start year, and duration time from these models sales-start . These factors maybe effective ,but I guess the larger randomness of data conceal the factor effects.
- 4) In the specifications, no. of features ,compressor output, total weight, heating consumption, heating noise, average COP are effective, we guess these are reasonable. This is similar results of former report.
- 5) Coefficient of COP is minus ,so better performance corresponds lower price. I guess manufacturer makes high performance products ,

but manufacturer and sales store can not put the higher price.

- 6) In this case I tried to evaluate two manufacturers, and 3 kinds stores, and we can expand this method to many manufacturers and many stores.

7. CONCLUSIONS AND SUMMARY

I analyze the competitiveness of airconditioner using T method.

I understand dummy factors ,such as 1 or 0, are useful to analyze.

I thank to the cooperation of appliances stores in Kochi pref..

I would like to understand this method deeply. I would like to use this method as teaching tool of management education for product planning and pricing strategy.

REFERENCES

- 1) Ohken: multi-dimensional information system data analysis software
- 2) SHINJI YAMAGUCHI, PRICING MANAGEMENT BETWEEN AIRCONDITIONER RETAIL PRICE AND SPECIFICATION FACTORS -APPLYING T(TAGUCHI)METHOD-,SSMS, 2009.3
- 3) 山口信次、“ロバストデザイン教育教材の開発検討(2)”, 2008年12月 高知工科大学紀要 第5巻第1号、p135-145
- 4) 山口信次、“ロバストデザイン教育教材の開発検討(3)”, 2009年6月 高知工科大学紀要 第6巻第1号、p173-182
- 5) 山口信次、“ロバストデザイン教育教材の開発検討(4)”, 2009年6月 高知工科大学紀要 第6巻第1号、p183-193